

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in that standard column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
0.74	1.02	0.029	0.040	♦					♦			
1.78	1.02	0.070	0.040						♦			
2.54	1.02	0.100	0.040						♦			
1.07	1.27	0.042	0.050	♦					♦			
4.70	1.42	0.185	0.056	♦								
1.42	1.52	0.056	0.060	♦					♦			
3.10	1.60	0.122	0.063					♦				
3.60	1.60	0.142	0.063					♦				
4.10	1.60	0.161	0.063					♦				
4.60	1.60	0.181	0.063					♦				
5.10	1.60	0.201	0.063					♦				
5.60	1.60	0.220	0.063					♦				
6.10	1.60	0.240	0.063					♦				
6.60	1.60	0.260	0.063					♦				
7.10	1.60	0.280	0.063					♦				
7.60	1.60	0.299	0.063					♦				
8.10	1.60	0.319	0.063					♦				
8.60	1.60	0.339	0.063					♦				
9.10	1.60	0.358	0.063					♦				
9.60	1.60	0.378	0.063					♦				
10.10	1.60	0.398	0.063					♦				
10.60	1.60	0.417	0.063					♦				
11.10	1.60	0.437	0.063					♦				
11.60	1.60	0.457	0.063					♦				
12.10	1.60	0.476	0.063					♦				
12.60	1.60	0.496	0.063					♦				
13.10	1.60	0.516	0.063					♦				
13.60	1.60	0.535	0.063					♦				
14.10	1.60	0.555	0.063					♦				
14.60	1.60	0.575	0.063					♦				
15.10	1.60	0.594	0.063					♦				
15.60	1.60	0.614	0.063					♦				
16.10	1.60	0.634	0.063					♦				
16.60	1.60	0.654	0.063					♦				
17.10	1.60	0.673	0.063					♦				
17.60	1.60	0.693	0.063					♦				
18.10	1.60	0.713	0.063					♦				
18.60	1.60	0.732	0.063					♦				
19.10	1.60	0.752	0.063					♦				
19.60	1.60	0.772	0.063					♦				
20.60	1.60	0.811	0.063					♦				
21.60	1.60	0.850	0.063					♦				
22.10	1.60	0.870	0.063					♦				
24.60	1.60	0.969	0.063					♦				
25.10	1.60	0.988	0.063					♦				
27.10	1.60	1.067	0.063					♦				
27.60	1.60	1.087	0.063					♦				
29.10	1.60	1.146	0.063					♦				
29.60	1.60	1.165	0.063					♦				

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
31.60	1.60	1.244	0.063									
32.10	1.60	1.264	0.063									
34.60	1.60	1.362	0.063									
35.10	1.60	1.382	0.063									
37.10	1.60	1.461	0.063									
37.60	1.60	1.480	0.063									
6.07	1.63	0.239	0.064	♦								
7.65	1.63	0.301	0.064	♦								
1.78	1.78	0.070	0.070	♦					♦			
2.57	1.78	0.101	0.070	♦					♦			
2.90	1.78	0.114	0.070	♦					♦			
3.18	1.78	0.125	0.070						♦			
3.68	1.78	0.145	0.070	♦					♦			
4.47	1.78	0.176	0.070	♦					♦			
4.75	1.78	0.187	0.070						♦			
5.28	1.78	0.208	0.070	♦					♦			
6.07	1.78	0.239	0.070	♦					♦			
6.35	1.78	0.250	0.070						♦			
6.76	1.78	0.266	0.070						♦			
7.65	1.78	0.301	0.070	♦					♦			
7.92	1.78	0.312	0.070						♦			
8.74	1.78	0.344	0.070						♦			
9.25	1.78	0.364	0.070	♦					♦			
10.82	1.78	0.426	0.070	♦					♦			
11.10	1.78	0.437	0.070						♦			
12.42	1.78	0.489	0.070	♦					♦			
14.00	1.78	0.551	0.070	♦					♦			
15.60	1.78	0.614	0.070	♦					♦			
17.17	1.78	0.676	0.070	♦					♦			
18.77	1.78	0.739	0.070	♦					♦			
20.35	1.78	0.801	0.070	♦					♦			
21.95	1.78	0.864	0.070	♦					♦			
23.52	1.78	0.926	0.070	♦					♦			
25.12	1.78	0.989	0.070	♦					♦			
26.70	1.78	1.051	0.070	♦					♦			
28.30	1.78	1.114	0.070	♦					♦			
29.87	1.78	1.176	0.070	♦					♦			
31.47	1.78	1.239	0.070	♦					♦			
33.05	1.78	1.301	0.070	♦					♦			
34.65	1.78	1.364	0.070	♦					♦			
36.27	1.78	1.428	0.070						♦			
37.82	1.78	1.489	0.070	♦					♦			
39.45	1.78	1.553	0.070						♦			
41.00	1.78	1.614	0.070	♦					♦			
44.17	1.78	1.739	0.070	♦					♦			
47.35	1.78	1.864	0.070	♦					♦			
50.52	1.78	1.989	0.070	♦					♦			
53.70	1.78	2.114	0.070	♦					♦			
56.87	1.78	2.239	0.070	♦					♦			

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in that standard column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
60.05	1.78	2.364	0.070	♦					♦			
63.22	1.78	2.489	0.070	♦					♦			
66.40	1.78	2.614	0.070	♦					♦			
69.57	1.78	2.739	0.070	♦					♦			
72.75	1.78	2.864	0.070	♦					♦			
75.92	1.78	2.989	0.070	♦					♦			
78.99	1.78	3.110	0.070						♦			
82.27	1.78	3.239	0.070	♦					♦			
88.62	1.78	3.489	0.070	♦					♦			
91.69	1.78	3.610	0.070						♦			
94.97	1.78	3.739	0.070	♦					♦			
98.04	1.78	3.860	0.070						♦			
101.32	1.78	3.989	0.070	♦					♦			
104.39	1.78	4.110	0.070						♦			
107.67	1.78	4.239	0.070	♦					♦			
110.74	1.78	4.360	0.070						♦			
114.02	1.78	4.489	0.070	♦					♦			
117.09	1.78	4.610	0.070						♦			
120.37	1.78	4.739	0.070	♦					♦			
123.44	1.78	4.860	0.070						♦			
126.72	1.78	4.989	0.070	♦					♦			
129.41	1.78	5.095	0.070						♦			
133.07	1.78	5.239	0.070	♦					♦			
135.76	1.78	5.345	0.070						♦			
138.94	1.78	5.470	0.070						♦			
142.11	1.78	5.595	0.070						♦			
145.29	1.78	5.720	0.070						♦			
148.46	1.78	5.845	0.070						♦			
151.64	1.78	5.970	0.070						♦			
154.81	1.78	6.095	0.070						♦			
157.99	1.78	6.220	0.070						♦			
161.16	1.78	6.345	0.070						♦			
164.34	1.78	6.470	0.070						♦			
170.05	1.78	6.695	0.070						♦			
170.69	1.78	6.720	0.070						♦			
173.86	1.78	6.845	0.070						♦			
1.80	1.80	0.071	0.071		♦	♦	♦				♦	♦
2.00	1.80	0.079	0.071		♦	♦	♦				♦	♦
2.24	1.80	0.088	0.071		♦	♦	♦				♦	♦
2.50	1.80	0.098	0.071		♦	♦	♦				♦	♦
2.80	1.80	0.110	0.071		♦	♦	♦				♦	♦
3.15	1.80	0.124	0.071		♦	♦	♦				♦	♦
3.55	1.80	0.140	0.071		♦	♦	♦				♦	♦
3.75	1.80	0.148	0.071				♦				♦	♦
4.00	1.80	0.157	0.071		♦	♦	♦				♦	♦
4.50	1.80	0.177	0.071		♦	♦	♦				♦	♦
4.75	1.80	0.187	0.071				♦				♦	♦
4.87	1.80	0.192	0.071		♦	♦	♦				♦	♦
5.00	1.80	0.197	0.071		♦	♦	♦				♦	♦
5.15	1.80	0.203	0.071		♦	♦	♦				♦	♦
5.30	1.80	0.209	0.071		♦	♦	♦				♦	♦
5.60	1.80	0.220	0.071		♦	♦	♦				♦	♦
6.00	1.80	0.236	0.071		♦	♦	♦				♦	♦
6.30	1.80	0.248	0.071		♦	♦	♦				♦	♦
6.70	1.80	0.264	0.071		♦	♦	♦				♦	♦
6.90	1.80	0.272	0.071		♦	♦	♦				♦	♦
7.10	1.80	0.280	0.071		♦	♦	♦				♦	♦
7.50	1.80	0.295	0.071		♦	♦	♦				♦	♦
8.00	1.80	0.315	0.071		♦	♦	♦				♦	♦
8.50	1.80	0.335	0.071		♦	♦	♦				♦	♦
8.75	1.80	0.344	0.071		♦	♦	♦				♦	♦
9.00	1.80	0.354	0.071		♦	♦	♦				♦	♦
9.50	1.80	0.374	0.071		♦	♦	♦				♦	♦
9.75	1.80	0.384	0.071				♦				♦	♦
10.00	1.80	0.394	0.071		♦	♦	♦				♦	♦
10.60	1.80	0.417	0.071		♦	♦	♦				♦	♦
11.20	1.80	0.441	0.071		♦	♦	♦				♦	♦
11.60	1.80	0.457	0.071				♦				♦	♦
11.80	1.80	0.465	0.071		♦	♦	♦				♦	♦
12.10	1.80	0.476	0.071				♦				♦	♦
12.50	1.80	0.492	0.071		♦	♦	♦				♦	♦
12.80	1.80	0.504	0.071				♦				♦	♦
13.20	1.80	0.520	0.071		♦	♦	♦				♦	♦
14.00	1.80	0.551	0.071		♦	♦	♦				♦	♦
14.50	1.80	0.571	0.071				♦				♦	♦
15.00	1.80	0.591	0.071		♦	♦	♦				♦	♦
15.50	1.80	0.610	0.071				♦				♦	♦
16.00	1.80	0.630	0.071		♦	♦	♦				♦	♦
17.00	1.80	0.669	0.071		♦	♦	♦				♦	♦
18.00	1.80	0.709	0.071				♦				♦	♦
19.00	1.80	0.748	0.071				♦				♦	♦
20.00	1.80	0.787	0.071				♦				♦	♦
20.60	1.80	0.811	0.071				♦				♦	♦
21.20	1.80	0.835	0.071				♦				♦	♦
22.40	1.80	0.882	0.071				♦				♦	♦
23.60	1.80	0.929	0.071				♦				♦	♦
24.30	1.80	0.957	0.071				♦				♦	♦
25.00	1.80	0.984	0.071				♦				♦	♦
25.80	1.80	1.016	0.071				♦				♦	♦
26.50	1.80	1.043	0.071				♦				♦	♦
27.30	1.80	1.075	0.071				♦				♦	♦
28.00	1.80	1.102	0.071				♦				♦	♦
30.00	1.80	1.181	0.071				♦				♦	♦
31.50	1.80	1.240	0.071				♦				♦	♦
32.50	1.80	1.280	0.071				♦				♦	♦
33.50	1.80	1.319	0.071				♦				♦	♦
34.50	1.80	1.358	0.071				♦				♦	♦
35.50	1.80	1.398	0.071				♦				♦	♦

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
36.50	1.80	1.437	0.071			♦					♦	♦
37.50	1.80	1.476	0.071			♦					♦	♦
38.70	1.80	1.524	0.071			♦					♦	♦
40.00	1.80	1.575	0.071			♦					♦	♦
41.20	1.80	1.622	0.071			♦					♦	♦
42.50	1.80	1.673	0.071			♦					♦	♦
43.70	1.80	1.720	0.071			♦					♦	♦
45.00	1.80	1.772	0.071			♦					♦	♦
46.20	1.80	1.819	0.071								♦	♦
47.50	1.80	1.870	0.071			♦					♦	♦
48.70	1.80	1.917	0.071								♦	♦
50.00	1.80	1.969	0.071			♦					♦	♦
53.00	1.80	2.087	0.071			♦					♦	♦
56.00	1.80	2.205	0.071			♦					♦	♦
60.00	1.80	2.362	0.071			♦					♦	♦
63.00	1.80	2.480	0.071			♦					♦	♦
67.00	1.80	2.638	0.071			♦					♦	♦
71.00	1.80	2.795	0.071			♦					♦	♦
75.00	1.80	2.953	0.071			♦					♦	♦
80.00	1.80	3.150	0.071			♦					♦	♦
85.00	1.80	3.346	0.071			♦					♦	♦
90.00	1.80	3.543	0.071			♦					♦	♦
95.00	1.80	3.740	0.071			♦					♦	♦
100.00	1.80	3.937	0.071			♦					♦	♦
106.00	1.80	4.173	0.071			♦					♦	♦
112.00	1.80	4.409	0.071			♦					♦	♦
118.00	1.80	4.646	0.071			♦					♦	♦
125.00	1.80	4.921	0.071			♦					♦	♦
8.92	1.83	0.351	0.072	♦								
10.52	1.83	0.414	0.072	♦								
2.80	1.90	0.110	0.075							♦		
3.80	1.90	0.150	0.075							♦		
4.80	1.90	0.189	0.075							♦		
5.80	1.90	0.228	0.075							♦		
6.80	1.90	0.268	0.075							♦		
7.80	1.90	0.307	0.075							♦		
8.80	1.90	0.346	0.075							♦		
9.80	1.90	0.386	0.075							♦		
11.89	1.98	0.468	0.078	♦								
13.46	2.08	0.530	0.082	♦								
16.36	2.21	0.644	0.087	♦								
9.80	2.40	0.386	0.094							♦		
10.80	2.40	0.425	0.094							♦		
11.00	2.40	0.433	0.094							♦		
11.80	2.40	0.465	0.094							♦		
12.30	2.40	0.484	0.094							♦		
13.80	2.40	0.543	0.094							♦		
14.80	2.40	0.583	0.094							♦		
15.80	2.40	0.622	0.094							♦		

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
17.80	2.40	0.701	0.094								♦	
19.80	2.40	0.780	0.094								♦	
20.80	2.40	0.819	0.094								♦	
21.80	2.40	0.858	0.094								♦	
39.60	2.40	1.559	0.094					♦				
41.60	2.40	1.638	0.094					♦				
44.60	2.40	1.756	0.094					♦				
45.60	2.40	1.795	0.094					♦				
47.60	2.40	1.874	0.094					♦				
49.60	2.40	1.953	0.094					♦				
51.60	2.40	2.031	0.094					♦				
54.60	2.40	2.150	0.094					♦				
55.60	2.40	2.189	0.094					♦				
57.60	2.40	2.268	0.094					♦				
58.60	2.40	2.307	0.094					♦				
59.60	2.40	2.346	0.094					♦				
61.60	2.40	2.425	0.094					♦				
62.60	2.40	2.465	0.094					♦				
64.60	2.40	2.543	0.094					♦				
67.60	2.40	2.661	0.094					♦				
69.60	2.40	2.740	0.094					♦				
17.93	2.46	0.706	0.097	♦								
19.18	2.46	0.755	0.097	♦								
1.24	2.62	0.049	0.103	♦					♦			
2.06	2.62	0.081	0.103	♦					♦			
2.84	2.62	0.112	0.103	♦					♦			
3.63	2.62	0.143	0.103	♦					♦			
4.42	2.62	0.174	0.103	♦					♦			
5.23	2.62	0.206	0.103	♦					♦			
6.02	2.62	0.237	0.103	♦					♦			
7.59	2.62	0.299	0.103	♦					♦			
9.19	2.62	0.362	0.103	♦					♦			
9.93	2.62	0.391	0.103	♦					♦			
10.77	2.62	0.424	0.103	♦					♦			
11.91	2.62	0.469	0.103	♦					♦			
12.37	2.62	0.487	0.103	♦					♦			
12.70	2.62	0.500	0.103	♦					♦			
13.11	2.62	0.516	0.103	♦					♦			
13.94	2.62	0.549	0.103	♦					♦			
15.09	2.62	0.594	0.103	♦					♦			
15.54	2.62	0.612	0.103	♦					♦			
15.88	2.62	0.625	0.103	♦					♦			
17.12	2.62	0.674	0.103	♦					♦			
17.45	2.62	0.687	0.103	♦					♦			
17.86	2.62	0.703	0.103	♦					♦			
18.72	2.62	0.737	0.103	♦					♦			
20.29	2.62	0.799	0.103	♦					♦			
20.62	2.62	0.812	0.103	♦					♦			
21.89	2.62	0.862	0.103	♦					♦			

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
22.23	2.62	0.875	0.103						♦			
23.47	2.62	0.924	0.103	♦					♦			
23.80	2.62	0.937	0.103						♦			
25.07	2.62	0.987	0.103	♦					♦			
26.64	2.62	1.049	0.103	♦					♦			
28.24	2.62	1.112	0.103	♦					♦			
29.82	2.62	1.174	0.103	♦					♦			
31.42	2.62	1.237	0.103	♦					♦			
32.99	2.62	1.299	0.103	♦					♦			
34.59	2.62	1.362	0.103	♦					♦			
36.17	2.62	1.424	0.103	♦					♦			
37.77	2.62	1.487	0.103	♦					♦			
39.34	2.62	1.549	0.103	♦					♦			
40.94	2.62	1.612	0.103	♦					♦			
42.52	2.62	1.674	0.103	♦					♦			
44.12	2.62	1.737	0.103	♦					♦			
45.69	2.62	1.799	0.103	♦					♦			
47.29	2.62	1.862	0.103	♦					♦			
48.90	2.62	1.925	0.103	♦					♦			
50.47	2.62	1.987	0.103	♦					♦			
52.07	2.62	2.050	0.103	♦					♦			
53.64	2.62	2.112	0.103	♦					♦			
55.25	2.62	2.175	0.103	♦					♦			
56.82	2.62	2.237	0.103	♦					♦			
58.42	2.62	2.300	0.103	♦					♦			
59.99	2.62	2.362	0.103	♦					♦			
61.60	2.62	2.425	0.103	♦					♦			
63.17	2.62	2.487	0.103	♦					♦			
64.77	2.62	2.550	0.103	♦					♦			
66.34	2.62	2.612	0.103	♦					♦			
67.95	2.62	2.675	0.103	♦					♦			
69.52	2.62	2.737	0.103	♦					♦			
71.12	2.62	2.800	0.103	♦					♦			
72.69	2.62	2.862	0.103	♦					♦			
74.27	2.62	2.924	0.103	♦					♦			
75.87	2.62	2.987	0.103	♦					♦			
77.44	2.62	3.049	0.103						♦			
80.62	2.62	3.174	0.103						♦			
82.22	2.62	3.237	0.103	♦					♦			
83.79	2.62	3.299	0.103						♦			
88.57	2.62	3.487	0.103	♦					♦			
94.92	2.62	3.737	0.103	♦					♦			
101.27	2.62	3.987	0.103	♦					♦			
107.62	2.62	4.237	0.103	♦					♦			
113.97	2.62	4.487	0.103	♦					♦			
120.32	2.62	4.737	0.103	♦					♦			
126.67	2.62	4.987	0.103	♦					♦			
133.02	2.62	5.237	0.103	♦					♦			
139.37	2.62	5.487	0.103	♦					♦			
145.72	2.62	5.737	0.103	♦					♦			
152.07	2.62	5.987	0.103	♦					♦			
158.42	2.62	6.237	0.103	♦					♦			
164.77	2.62	6.487	0.103	♦					♦			
171.12	2.62	6.737	0.103	♦					♦			
177.47	2.62	6.987	0.103	♦					♦			
183.82	2.62	7.237	0.103	♦					♦			
190.17	2.62	7.487	0.103	♦					♦			
196.52	2.62	7.737	0.103	♦					♦			
202.87	2.62	7.987	0.103	♦					♦			
209.22	2.62	8.237	0.103	♦					♦			
215.57	2.62	8.487	0.103	♦					♦			
221.92	2.62	8.737	0.103	♦					♦			
228.27	2.62	8.987	0.103	♦					♦			
234.62	2.62	9.237	0.103	♦					♦			
240.97	2.62	9.487	0.103	♦					♦			
247.32	2.62	9.737	0.103	♦					♦			
4.50	2.65	0.177	0.104								♦	♦
5.30	2.65	0.209	0.104						♦			♦
6.00	2.65	0.236	0.104						♦			♦
6.90	2.65	0.272	0.104						♦			♦
8.00	2.65	0.315	0.104						♦			♦
9.00	2.65	0.354	0.104						♦			♦
9.50	2.65	0.374	0.104						♦			♦
10.00	2.65	0.394	0.104						♦			♦
10.60	2.65	0.417	0.104						♦			♦
11.20	2.65	0.441	0.104						♦			♦
11.60	2.65	0.457	0.104						♦			♦
11.80	2.65	0.465	0.104						♦			♦
12.10	2.65	0.476	0.104						♦			♦
12.50	2.65	0.492	0.104						♦			♦
12.80	2.65	0.504	0.104						♦			♦
13.20	2.65	0.520	0.104						♦			♦
14.00	2.65	0.551	0.104		♦	♦	♦				♦	♦
14.50	2.65	0.571	0.104						♦			♦
15.00	2.65	0.591	0.104		♦	♦	♦				♦	♦
15.50	2.65	0.610	0.104						♦			♦
16.00	2.65	0.630	0.104		♦	♦	♦				♦	♦
17.00	2.65	0.669	0.104		♦	♦	♦				♦	♦
18.00	2.65	0.709	0.104		♦	♦	♦				♦	♦
19.00	2.65	0.748	0.104		♦	♦	♦				♦	♦
20.00	2.65	0.787	0.104		♦	♦	♦				♦	♦
20.60	2.65	0.811	0.104						♦			♦
21.20	2.65	0.835	0.104		♦	♦	♦				♦	♦
22.40	2.65	0.882	0.104		♦	♦	♦				♦	♦
23.60	2.65	0.929	0.104		♦	♦	♦				♦	♦
24.30	2.65	0.957	0.104						♦			♦
25.00	2.65	0.984	0.104		♦	♦	♦				♦	♦
25.80	2.65	1.016	0.104		♦	♦	♦				♦	♦

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
26.50	2.65	1.043	0.104	♦	♦	♦					♦	♦
27.30	2.65	1.075	0.104		♦	♦	♦				♦	♦
28.00	2.65	1.102	0.104	♦	♦	♦					♦	♦
30.00	2.65	1.181	0.104		♦	♦	♦				♦	♦
31.50	2.65	1.240	0.104		♦	♦	♦				♦	♦
32.50	2.65	1.280	0.104		♦	♦	♦				♦	♦
33.50	2.65	1.319	0.104		♦	♦	♦				♦	♦
34.50	2.65	1.358	0.104		♦	♦	♦				♦	♦
35.50	2.65	1.398	0.104		♦	♦	♦				♦	♦
36.50	2.65	1.437	0.104		♦	♦	♦				♦	♦
37.50	2.65	1.476	0.104		♦	♦	♦				♦	♦
38.70	2.65	1.524	0.104		♦	♦	♦				♦	♦
40.00	2.65	1.575	0.104			♦					♦	♦
41.20	2.65	1.622	0.104			♦					♦	♦
42.50	2.65	1.673	0.104			♦					♦	♦
43.70	2.65	1.720	0.104			♦					♦	♦
45.00	2.65	1.772	0.104			♦					♦	♦
46.20	2.65	1.819	0.104			♦					♦	♦
47.50	2.65	1.870	0.104			♦					♦	♦
48.70	2.65	1.917	0.104			♦					♦	♦
50.00	2.65	1.969	0.104			♦					♦	♦
51.50	2.65	2.028	0.104			♦					♦	♦
53.00	2.65	2.087	0.104			♦					♦	♦
54.50	2.65	2.146	0.104			♦					♦	♦
56.00	2.65	2.205	0.104			♦					♦	♦
58.00	2.65	2.283	0.104			♦					♦	♦
60.00	2.65	2.362	0.104			♦					♦	♦
61.50	2.65	2.421	0.104			♦					♦	♦
63.00	2.65	2.480	0.104			♦					♦	♦
65.00	2.65	2.559	0.104			♦					♦	♦
67.00	2.65	2.638	0.104			♦					♦	♦
69.00	2.65	2.717	0.104			♦					♦	♦
71.00	2.65	2.795	0.104			♦					♦	♦
73.00	2.65	2.874	0.104			♦					♦	♦
75.00	2.65	2.953	0.104			♦					♦	♦
77.50	2.65	3.051	0.104			♦					♦	♦
80.00	2.65	3.150	0.104			♦					♦	♦
82.50	2.65	3.248	0.104			♦					♦	♦
85.00	2.65	3.346	0.104			♦					♦	♦
87.50	2.65	3.445	0.104			♦					♦	♦
90.00	2.65	3.543	0.104			♦					♦	♦
92.50	2.65	3.642	0.104			♦					♦	♦
95.00	2.65	3.740	0.104			♦					♦	♦
97.50	2.65	3.839	0.104			♦					♦	♦
100.00	2.65	3.937	0.104			♦					♦	♦
106.00	2.65	4.173	0.104			♦					♦	♦
112.00	2.65	4.409	0.104			♦					♦	♦
118.00	2.65	4.646	0.104			♦					♦	♦
125.00	2.65	4.921	0.104			♦					♦	♦
132.00	2.65	5.197	0.104			♦					♦	♦
140.00	2.65	5.512	0.104			♦					♦	♦
150.00	2.65	5.906	0.104			♦					♦	♦
157.50	2.65	6.201	0.104			♦					♦	♦
160.00	2.65	6.299	0.104			♦					♦	♦
170.00	2.65	6.693	0.104			♦					♦	♦
180.00	2.65	7.087	0.104			♦					♦	♦
190.00	2.65	7.480	0.104			♦					♦	♦
200.00	2.65	7.874	0.104			♦					♦	♦
212.00	2.65	8.346	0.104			♦					♦	♦
224.00	2.65	8.819	0.104			♦					♦	♦
230.00	2.65	9.055	0.104			♦					♦	♦
236.00	2.65	9.291	0.104			♦					♦	♦
243.00	2.65	9.567	0.104			♦					♦	♦
250.00	2.65	9.843	0.104			♦					♦	♦
21.92	2.95	0.863	0.116	♦								
23.47	2.95	0.924	0.116	♦								
25.04	2.95	0.986	0.116	♦								
26.59	2.95	1.047	0.116	♦								
29.74	2.95	1.171	0.116	♦								
34.42	2.95	1.355	0.116	♦								
19.50	3.00	0.768	0.118					♦				
21.50	3.00	0.846	0.118					♦				
22.50	3.00	0.886	0.118					♦				
24.50	3.00	0.965	0.118					♦				
25.50	3.00	1.004	0.118					♦				
26.50	3.00	1.043	0.118					♦				
27.50	3.00	1.083	0.118					♦				
29.50	3.00	1.161	0.118					♦				
32.50	3.00	1.280	0.118					♦				
34.50	3.00	1.358	0.118					♦				
35.50	3.00	1.398	0.118					♦				
36.50	3.00	1.437	0.118					♦				
37.47	3.00	1.475	0.118	♦								
37.50	3.00	1.476	0.118					♦				
39.50	3.00	1.555	0.118					♦				
41.50	3.00	1.634	0.118					♦				
42.50	3.00	1.673	0.118					♦				
43.69	3.00	1.720	0.118	♦								
44.50	3.00	1.752	0.118					♦				
49.50	3.00	1.949	0.118					♦				
53.09	3.00	2.090	0.118	♦								
54.50	3.00	2.146	0.118					♦				
55.50	3.00	2.185	0.118					♦				
57.50	3.00	2.264	0.118					♦				
59.36	3.00	2.337	0.118	♦								
59.50	3.00	2.343	0.118					♦				
62.50	3.00	2.461	0.118					♦				
64.50	3.00	2.539	0.118					♦				

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
69.50	3.00	2.736	0.118					♦				
74.50	3.00	2.933	0.118					♦				
79.50	3.00	3.130	0.118					♦				
84.50	3.00	3.327	0.118					♦				
89.50	3.00	3.524	0.118					♦				
94.50	3.00	3.720	0.118					♦				
99.50	3.00	3.917	0.118					♦				
104.50	3.00	4.114	0.118					♦				
109.50	3.00	4.311	0.118					♦				
114.50	3.00	4.508	0.118					♦				
119.50	3.00	4.705	0.118					♦				
124.50	3.00	4.902	0.118					♦				
129.50	3.00	5.098	0.118					♦				
134.50	3.00	5.295	0.118					♦				
139.50	3.00	5.492	0.118					♦				
144.50	3.00	5.689	0.118					♦				
149.50	3.00	5.886	0.118					♦				
154.50	3.00	6.083	0.118					♦				
159.50	3.00	6.280	0.118					♦				
164.50	3.00	6.476	0.118					♦				
169.50	3.00	6.673	0.118					♦				
174.50	3.00	6.870	0.118					♦				
179.50	3.00	7.067	0.118					♦				
184.50	3.00	7.264	0.118					♦				
189.50	3.00	7.461	0.118					♦				
194.50	3.00	7.657	0.118					♦				
199.50	3.00	7.854	0.118					♦				
209.50	3.00	8.248	0.118					♦				
219.50	3.00	8.642	0.118					♦				
229.50	3.00	9.035	0.118					♦				
239.50	3.00	9.429	0.118					♦				
244.50	3.00	9.626	0.118					♦				
249.50	3.00	9.823	0.118					♦				
24.40	3.10	0.961	0.122							♦		
29.40	3.10	1.157	0.122							♦		
34.40	3.10	1.354	0.122							♦		
39.40	3.10	1.551	0.122							♦		
44.40	3.10	1.748	0.122							♦		
49.40	3.10	1.945	0.122							♦		
54.40	3.10	2.142	0.122							♦		
59.40	3.10	2.339	0.122							♦		
64.40	3.10	2.535	0.122							♦		
69.40	3.10	2.732	0.122							♦		
74.40	3.10	2.929	0.122							♦		
79.40	3.10	3.126	0.122							♦		
84.40	3.10	3.323	0.122							♦		
89.40	3.10	3.520	0.122							♦		
94.40	3.10	3.717	0.122							♦		
99.40	3.10	3.913	0.122							♦		
104.40	3.10	4.110	0.122							♦		
109.40	3.10	4.307	0.122							♦		
114.40	3.10	4.504	0.122							♦		
119.40	3.10	4.701	0.122							♦		
124.40	3.10	4.898	0.122							♦		
129.40	3.10	5.094	0.122							♦		
134.40	3.10	5.291	0.122							♦		
139.40	3.10	5.488	0.122							♦		
144.40	3.10	5.685	0.122							♦		
21.70	3.50	0.854	0.138							♦		
22.10	3.50	0.870	0.138							♦		
23.70	3.50	0.933	0.138							♦		
24.70	3.50	0.972	0.138							♦		
25.20	3.50	0.992	0.138							♦		
25.70	3.50	1.012	0.138							♦		
27.70	3.50	1.091	0.138							♦		
28.70	3.50	1.130	0.138							♦		
29.20	3.50	1.150	0.138							♦		
29.70	3.50	1.169	0.138							♦		
30.70	3.50	1.209	0.138							♦		
31.20	3.50	1.228	0.138							♦		
31.70	3.50	1.248	0.138							♦		
33.70	3.50	1.327	0.138							♦		
34.70	3.50	1.366	0.138							♦		
35.20	3.50	1.386	0.138							♦		
35.70	3.50	1.406	0.138							♦		
37.70	3.50	1.484	0.138							♦		
38.70	3.50	1.524	0.138							♦		
39.70	3.50	1.563	0.138							♦		
40.70	3.50	1.602	0.138							♦		
41.70	3.50	1.642	0.138							♦		
43.70	3.50	1.720	0.138							♦		
44.70	3.50	1.760	0.138							♦		
45.70	3.50	1.799	0.138							♦		
47.70	3.50	1.878	0.138							♦		
48.70	3.50	1.917	0.138							♦		
49.70	3.50	1.957	0.138							♦		
4.34	3.53	0.171	0.139	♦							♦	
5.94	3.53	0.234	0.139	♦							♦	
7.52	3.53	0.296	0.139	♦							♦	
9.12	3.53	0.359	0.139	♦							♦	
10.69	3.53	0.421	0.139	♦							♦	
12.29	3.53	0.484	0.139	♦							♦	
13.87	3.53	0.546	0.139	♦							♦	
15.47	3.53	0.609	0.139	♦							♦	
17.04	3.53	0.671	0.139	♦							♦	
18.64	3.53	0.734	0.139	♦							♦	
20.22	3.53	0.796	0.139	♦							♦	
21.82	3.53	0.859	0.139	♦							♦	

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
23.39	3.53	0.921	0.139	♦					♦			
24.99	3.53	0.984	0.139	♦					♦			
25.81	3.53	1.016	0.139						♦			
26.57	3.53	1.046	0.139	♦					♦			
28.17	3.53	1.109	0.139	♦					♦			
29.74	3.53	1.171	0.139	♦					♦			
31.34	3.53	1.234	0.139	♦					♦			
32.92	3.53	1.296	0.139	♦					♦			
34.52	3.53	1.359	0.139	♦					♦			
36.09	3.53	1.421	0.139	♦					♦			
37.69	3.53	1.484	0.139	♦					♦			
39.70	3.53	1.563	0.139						♦			
40.87	3.53	1.609	0.139	♦					♦			
41.28	3.53	1.625	0.139						♦			
42.85	3.53	1.687	0.139						♦			
44.04	3.53	1.734	0.139	♦					♦			
44.45	3.53	1.750	0.139						♦			
46.02	3.53	1.812	0.139						♦			
47.22	3.53	1.859	0.139	♦					♦			
47.63	3.53	1.875	0.139						♦			
49.20	3.53	1.937	0.139						♦			
50.39	3.53	1.984	0.139	♦					♦			
50.80	3.53	2.000	0.139						♦			
52.37	3.53	2.062	0.139						♦			
53.57	3.53	2.109	0.139	♦					♦			
53.98	3.53	2.125	0.139						♦			
55.55	3.53	2.187	0.139						♦			
56.74	3.53	2.234	0.139	♦					♦			
57.15	3.53	2.250	0.139						♦			
58.72	3.53	2.312	0.139						♦			
59.92	3.53	2.359	0.139	♦					♦			
60.33	3.53	2.375	0.139						♦			
61.90	3.53	2.437	0.139						♦			
63.09	3.53	2.484	0.139	♦					♦			
63.50	3.53	2.500	0.139						♦			
65.10	3.53	2.563	0.139						♦			
66.27	3.53	2.609	0.139	♦					♦			
66.68	3.53	2.625	0.139						♦			
68.25	3.53	2.687	0.139						♦			
69.44	3.53	2.734	0.139	♦					♦			
69.85	3.53	2.750	0.139						♦			
71.42	3.53	2.812	0.139						♦			
72.62	3.53	2.859	0.139	♦					♦			
73.03	3.53	2.875	0.139						♦			
74.60	3.53	2.937	0.139						♦			
75.79	3.53	2.984	0.139	♦					♦			
78.97	3.53	3.109	0.139	♦					♦			
82.14	3.53	3.234	0.139	♦					♦			
85.32	3.53	3.359	0.139	♦					♦			

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
88.49	3.53	3.484	0.139	♦					♦			
91.67	3.53	3.609	0.139	♦					♦			
94.84	3.53	3.734	0.139	♦					♦			
98.02	3.53	3.859	0.139	♦					♦			
101.19	3.53	3.984	0.139	♦					♦			
104.37	3.53	4.109	0.139	♦					♦			
107.54	3.53	4.234	0.139	♦					♦			
110.72	3.53	4.359	0.139	♦					♦			
113.89	3.53	4.484	0.139	♦					♦			
117.07	3.53	4.609	0.139	♦					♦			
120.24	3.53	4.734	0.139	♦					♦			
123.42	3.53	4.859	0.139	♦					♦			
126.59	3.53	4.984	0.139	♦					♦			
129.77	3.53	5.109	0.139	♦					♦			
132.94	3.53	5.234	0.139	♦					♦			
136.12	3.53	5.359	0.139	♦					♦			
139.29	3.53	5.484	0.139	♦					♦			
142.47	3.53	5.609	0.139	♦					♦			
145.64	3.53	5.734	0.139	♦					♦			
148.82	3.53	5.859	0.139	♦					♦			
151.99	3.53	5.984	0.139	♦					♦			
158.34	3.53	6.234	0.139	♦					♦			
164.69	3.53	6.484	0.139	♦					♦			
171.04	3.53	6.734	0.139	♦					♦			
177.39	3.53	6.984	0.139	♦					♦			
183.74	3.53	7.234	0.139	♦					♦			
190.09	3.53	7.484	0.139	♦					♦			
196.44	3.53	7.734	0.139	♦					♦			
202.79	3.53	7.984	0.139	♦					♦			
209.14	3.53	8.234	0.139	♦					♦			
215.49	3.53	8.484	0.139	♦					♦			
221.84	3.53	8.734	0.139	♦					♦			
228.19	3.53	8.984	0.139	♦					♦			
234.54	3.53	9.234	0.139	♦					♦			
240.89	3.53	9.484	0.139	♦					♦			
247.24	3.53	9.734	0.139	♦					♦			
253.59	3.53	9.984	0.139	♦					♦			
266.29	3.53	10.484	0.139	♦					♦			
278.99	3.53	10.984	0.139	♦					♦			
291.69	3.53	11.484	0.139	♦					♦			
304.39	3.53	11.984	0.139	♦					♦			
329.79	3.53	12.984	0.139	♦					♦			
355.19	3.53	13.984	0.139	♦					♦			
380.59	3.53	14.984	0.139	♦					♦			
405.26	3.53	15.955	0.139	♦					♦			
430.66	3.53	16.955	0.139	♦					♦			
456.06	3.53	17.955	0.139	♦					♦			
14.00	3.55	0.551	0.140			♦					♦	♦
14.50	3.55	0.571	0.140								♦	♦

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
15.00	3.55	0.591	0.140			♦					♦	♦
15.50	3.55	0.610	0.140								♦	♦
16.00	3.55	0.630	0.140			♦					♦	♦
17.00	3.55	0.669	0.140			♦					♦	♦
18.00	3.55	0.709	0.140		♦	♦	♦				♦	♦
19.00	3.55	0.748	0.140		♦	♦	♦				♦	♦
20.00	3.55	0.787	0.140		♦	♦	♦				♦	♦
20.60	3.55	0.811	0.140				♦				♦	♦
21.20	3.55	0.835	0.140		♦	♦	♦				♦	♦
22.40	3.55	0.882	0.140		♦	♦	♦				♦	♦
23.60	3.55	0.929	0.140		♦	♦	♦				♦	♦
24.30	3.55	0.957	0.140				♦				♦	♦
25.00	3.55	0.984	0.140		♦	♦	♦				♦	♦
25.80	3.55	1.016	0.140		♦	♦	♦				♦	♦
26.50	3.55	1.043	0.140		♦	♦	♦				♦	♦
27.30	3.55	1.075	0.140				♦				♦	♦
28.00	3.55	1.102	0.140		♦	♦	♦				♦	♦
30.00	3.55	1.181	0.140		♦	♦	♦				♦	♦
31.50	3.55	1.240	0.140		♦	♦	♦				♦	♦
32.50	3.55	1.280	0.140		♦	♦	♦				♦	♦
33.50	3.55	1.319	0.140		♦	♦	♦				♦	♦
34.50	3.55	1.358	0.140		♦	♦	♦				♦	♦
35.50	3.55	1.398	0.140		♦	♦	♦				♦	♦
36.50	3.55	1.437	0.140		♦	♦	♦				♦	♦
37.50	3.55	1.476	0.140		♦	♦	♦				♦	♦
38.70	3.55	1.524	0.140		♦	♦	♦				♦	♦
40.00	3.55	1.575	0.140		♦	♦	♦				♦	♦
41.20	3.55	1.622	0.140		♦	♦	♦				♦	♦
42.50	3.55	1.673	0.140		♦	♦	♦				♦	♦
43.70	3.55	1.720	0.140		♦	♦	♦				♦	♦
45.00	3.55	1.772	0.140		♦	♦	♦				♦	♦
46.20	3.55	1.819	0.140		♦	♦	♦				♦	♦
47.50	3.55	1.870	0.140		♦	♦	♦				♦	♦
48.70	3.55	1.917	0.140		♦	♦	♦				♦	♦
50.00	3.55	1.969	0.140		♦	♦	♦				♦	♦
51.50	3.55	2.028	0.140		♦	♦	♦				♦	♦
53.00	3.55	2.087	0.140		♦	♦	♦				♦	♦
54.50	3.55	2.146	0.140		♦	♦	♦				♦	♦
56.00	3.55	2.205	0.140		♦	♦	♦				♦	♦
58.00	3.55	2.283	0.140		♦	♦	♦				♦	♦
60.00	3.55	2.362	0.140		♦	♦	♦				♦	♦
61.50	3.55	2.421	0.140		♦	♦	♦				♦	♦
63.00	3.55	2.480	0.140		♦	♦	♦				♦	♦
65.00	3.55	2.559	0.140		♦	♦	♦				♦	♦
67.00	3.55	2.638	0.140		♦	♦	♦				♦	♦
69.00	3.55	2.717	0.140		♦	♦	♦				♦	♦
71.00	3.55	2.795	0.140		♦	♦	♦				♦	♦
73.00	3.55	2.874	0.140		♦	♦	♦				♦	♦
75.00	3.55	2.953	0.140		♦	♦	♦				♦	♦
77.50	3.55	3.051	0.140		♦	♦	♦				♦	♦
80.00	3.55	3.150	0.140		♦	♦	♦				♦	♦
82.50	3.55	3.248	0.140		♦	♦	♦				♦	♦
85.00	3.55	3.346	0.140		♦	♦	♦				♦	♦
87.50	3.55	3.445	0.140		♦	♦	♦				♦	♦
90.00	3.55	3.543	0.140		♦	♦	♦				♦	♦
92.50	3.55	3.642	0.140		♦	♦	♦				♦	♦
95.00	3.55	3.740	0.140		♦	♦	♦				♦	♦
97.50	3.55	3.839	0.140		♦	♦	♦				♦	♦
100.00	3.55	3.937	0.140		♦	♦	♦				♦	♦
103.00	3.55	4.055	0.140		♦	♦	♦				♦	♦
106.00	3.55	4.173	0.140		♦	♦	♦				♦	♦
109.00	3.55	4.291	0.140		♦	♦	♦				♦	♦
112.00	3.55	4.409	0.140		♦	♦	♦				♦	♦
115.00	3.55	4.528	0.140		♦	♦	♦				♦	♦
118.00	3.55	4.646	0.140		♦	♦	♦				♦	♦
122.00	3.55	4.803	0.140		♦	♦	♦				♦	♦
125.00	3.55	4.921	0.140		♦	♦	♦				♦	♦
128.00	3.55	5.039	0.140		♦	♦	♦				♦	♦
132.00	3.55	5.197	0.140		♦	♦	♦				♦	♦
136.00	3.55	5.354	0.140		♦	♦	♦				♦	♦
140.00	3.55	5.512	0.140		♦	♦	♦				♦	♦
142.50	3.55	5.610	0.140		♦	♦	♦				♦	♦
145.00	3.55	5.709	0.140		♦	♦	♦				♦	♦
147.50	3.55	5.807	0.140		♦	♦	♦				♦	♦
150.00	3.55	5.906	0.140		♦	♦	♦				♦	♦
152.50	3.55	6.004	0.140		♦	♦	♦				♦	♦
155.00	3.55	6.102	0.140		♦	♦	♦				♦	♦
157.50	3.55	6.201	0.140		♦	♦	♦				♦	♦
160.00	3.55	6.299	0.140		♦	♦	♦				♦	♦
162.50	3.55	6.398	0.140		♦	♦	♦				♦	♦
165.00	3.55	6.496	0.140		♦	♦	♦				♦	♦
167.50	3.55	6.594	0.140		♦	♦	♦				♦	♦
170.00	3.55	6.693	0.140		♦	♦	♦				♦	♦
172.50	3.55	6.791	0.140		♦	♦	♦				♦	♦
175.00	3.55	6.890	0.140		♦	♦	♦				♦	♦
177.50	3.55	6.988	0.140		♦	♦	♦				♦	♦
180.00	3.55	7.087	0.140		♦	♦	♦				♦	♦
182.50	3.55	7.185	0.140		♦	♦	♦				♦	♦
185.00	3.55	7.283	0.140		♦	♦	♦				♦	♦
187.50	3.55	7.382	0.140		♦	♦	♦				♦	♦
190.00	3.55	7.480	0.140		♦	♦	♦				♦	♦
195.00	3.55	7.677	0.140		♦	♦	♦				♦	♦
200.00	3.55	7.874	0.140		♦	♦	♦				♦	♦
206.00	3.55	8.110	0.140		♦	♦	♦				♦	♦
212.00	3.55	8.346	0.140		♦	♦	♦				♦	♦
218.00	3.55	8.583	0.140		♦	♦	♦				♦	♦
224.00	3.55	8.819	0.140		♦	♦	♦				♦	♦
230.00	3.55	9.055	0.140		♦	♦	♦				♦	♦

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
236.00	3.55	9.291	0.140			♦					♦	
243.00	3.55	9.567	0.140								♦	
250.00	3.55	9.843	0.140			♦					♦	
258.00	3.55	10.157	0.140			♦					♦	
265.00	3.55	10.433	0.140			♦					♦	
272.00	3.55	10.709	0.140								♦	
280.00	3.55	11.024	0.140			♦					♦	
290.00	3.55	11.417	0.140			♦					♦	
300.00	3.55	11.811	0.140			♦					♦	
307.00	3.55	12.087	0.140			♦					♦	
315.00	3.55	12.402	0.140			♦					♦	
335.00	3.55	13.189	0.140			♦					♦	
345.00	3.55	13.583	0.140								♦	
355.00	3.55	13.976	0.140			♦					♦	
14.50	4.00	0.571	0.157							♦		
23.50	4.00	0.925	0.157							♦		
33.50	4.00	1.319	0.157							♦		
39.50	4.00	1.555	0.157							♦		
54.50	4.00	2.146	0.157							♦		
69.00	4.00	2.717	0.157							♦		
84.00	4.00	3.307	0.157							♦		
99.00	4.00	3.898	0.157							♦		
119.00	4.00	4.685	0.157							♦		
148.50	4.00	5.846	0.157							♦		
173.00	4.00	6.811	0.157							♦		
37.50	5.30	1.476	0.209			♦					♦	♦
38.70	5.30	1.524	0.209			♦					♦	♦
40.00	5.30	1.575	0.209		♦	♦	♦				♦	♦
41.20	5.30	1.622	0.209		♦	♦	♦				♦	♦
42.50	5.30	1.673	0.209		♦	♦	♦				♦	♦
43.70	5.30	1.720	0.209		♦	♦	♦				♦	♦
45.00	5.30	1.772	0.209		♦	♦	♦				♦	♦
46.20	5.30	1.819	0.209		♦	♦	♦				♦	♦
47.50	5.30	1.870	0.209		♦	♦	♦				♦	♦
48.70	5.30	1.917	0.209		♦	♦	♦				♦	♦
50.00	5.30	1.969	0.209		♦	♦	♦				♦	♦
51.50	5.30	2.028	0.209		♦	♦	♦				♦	♦
53.00	5.30	2.087	0.209		♦	♦	♦				♦	♦
54.50	5.30	2.146	0.209		♦	♦	♦				♦	♦
56.00	5.30	2.205	0.209		♦	♦	♦				♦	♦
58.00	5.30	2.283	0.209		♦	♦	♦				♦	♦
60.00	5.30	2.362	0.209		♦	♦	♦				♦	♦
61.50	5.30	2.421	0.209		♦	♦	♦				♦	♦
63.00	5.30	2.480	0.209		♦	♦	♦				♦	♦
65.00	5.30	2.559	0.209		♦	♦	♦				♦	♦
67.00	5.30	2.638	0.209		♦	♦	♦				♦	♦
69.00	5.30	2.717	0.209		♦	♦	♦				♦	♦
71.00	5.30	2.795	0.209		♦	♦	♦				♦	♦
73.00	5.30	2.874	0.209		♦	♦	♦				♦	♦

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
75.00	5.30	2.953	0.209		♦	♦	♦				♦	♦
77.50	5.30	3.051	0.209		♦	♦	♦				♦	♦
80.00	5.30	3.150	0.209		♦	♦	♦				♦	♦
82.50	5.30	3.248	0.209		♦	♦	♦				♦	♦
85.00	5.30	3.346	0.209		♦	♦	♦				♦	♦
87.50	5.30	3.445	0.209		♦	♦	♦				♦	♦
90.00	5.30	3.543	0.209		♦	♦	♦				♦	♦
92.50	5.30	3.642	0.209		♦	♦	♦				♦	♦
95.00	5.30	3.740	0.209		♦	♦	♦				♦	♦
97.50	5.30	3.839	0.209		♦	♦	♦				♦	♦
100.00	5.30	3.937	0.209		♦	♦	♦				♦	♦
103.00	5.30	4.055	0.209		♦	♦	♦				♦	♦
106.00	5.30	4.173	0.209		♦	♦	♦				♦	♦
109.00	5.30	4.291	0.209		♦	♦	♦				♦	♦
112.00	5.30	4.409	0.209		♦	♦	♦				♦	♦
115.00	5.30	4.528	0.209		♦	♦	♦				♦	♦
118.00	5.30	4.646	0.209		♦	♦	♦				♦	♦
122.00	5.30	4.803	0.209		♦	♦	♦				♦	♦
125.00	5.30	4.921	0.209		♦	♦	♦				♦	♦
128.00	5.30	5.039	0.209		♦	♦	♦				♦	♦
132.00	5.30	5.197	0.209		♦	♦	♦				♦	♦
136.00	5.30	5.354	0.209		♦	♦	♦				♦	♦
140.00	5.30	5.512	0.209		♦	♦	♦				♦	♦
142.50	5.30	5.610	0.209		♦	♦	♦				♦	♦
145.00	5.30	5.709	0.209		♦	♦	♦				♦	♦
147.50	5.30	5.807	0.209		♦	♦	♦				♦	♦
150.00	5.30	5.906	0.209		♦	♦	♦				♦	♦
152.50	5.30	6.004	0.209		♦	♦	♦				♦	♦
155.00	5.30	6.102	0.209		♦	♦	♦				♦	♦
157.50	5.30	6.201	0.209		♦	♦	♦				♦	♦
160.00	5.30	6.299	0.209		♦	♦	♦				♦	♦
162.50	5.30	6.398	0.209		♦	♦	♦				♦	♦
165.00	5.30	6.496	0.209		♦	♦	♦				♦	♦
167.50	5.30	6.594	0.209		♦	♦	♦				♦	♦
170.00	5.30	6.693	0.209		♦	♦	♦				♦	♦
172.50	5.30	6.791	0.209		♦	♦	♦				♦	♦
175.00	5.30	6.890	0.209		♦	♦	♦				♦	♦
177.50	5.30	6.988	0.209		♦	♦	♦				♦	♦
180.00	5.30	7.087	0.209		♦	♦	♦				♦	♦
182.50	5.30	7.185	0.209		♦	♦	♦				♦	♦
185.00	5.30	7.283	0.209		♦	♦	♦				♦	♦
187.50	5.30	7.382	0.209		♦	♦	♦				♦	♦
190.00	5.30	7.480	0.209		♦	♦	♦				♦	♦
195.00	5.30	7.677	0.209		♦	♦	♦				♦	♦
200.00	5.30	7.874	0.209		♦	♦	♦				♦	♦
203.00	5.30	7.992	0.209		♦	♦	♦				♦	♦
206.00	5.30	8.110	0.209		♦	♦	♦				♦	♦
212.00	5.30	8.346	0.209		♦	♦	♦				♦	♦
218.00	5.30	8.583	0.209		♦	♦	♦				♦	♦

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
224.00	5.30	8.819	0.209	♦	♦		♦				♦	♦
227.00	5.30	8.937	0.209		♦		♦				♦	♦
230.00	5.30	9.055	0.209	♦			♦				♦	♦
236.00	5.30	9.291	0.209		♦		♦				♦	♦
239.00	5.30	9.409	0.209				♦				♦	♦
243.00	5.30	9.567	0.209	♦			♦				♦	♦
250.00	5.30	9.843	0.209		♦		♦				♦	♦
254.00	5.30	10.000	0.209				♦				♦	♦
258.00	5.30	10.157	0.209	♦			♦				♦	♦
261.00	5.30	10.276	0.209				♦				♦	♦
265.00	5.30	10.433	0.209	♦			♦				♦	♦
268.00	5.30	10.551	0.209				♦				♦	♦
272.00	5.30	10.709	0.209		♦		♦				♦	♦
276.00	5.30	10.866	0.209				♦				♦	♦
280.00	5.30	11.024	0.209	♦			♦				♦	♦
283.00	5.30	11.142	0.209				♦				♦	♦
286.00	5.30	11.260	0.209				♦				♦	♦
290.00	5.30	11.417	0.209	♦			♦				♦	♦
295.00	5.30	11.614	0.209				♦				♦	♦
300.00	5.30	11.811	0.209	♦			♦				♦	♦
303.00	5.30	11.929	0.209				♦				♦	♦
307.00	5.30	12.087	0.209		♦		♦				♦	♦
311.00	5.30	12.244	0.209				♦				♦	♦
315.00	5.30	12.402	0.209	♦			♦				♦	♦
320.00	5.30	12.598	0.209				♦				♦	♦
325.00	5.30	12.795	0.209	♦			♦				♦	♦
330.00	5.30	12.992	0.209				♦				♦	♦
335.00	5.30	13.189	0.209		♦		♦				♦	♦
340.00	5.30	13.386	0.209				♦				♦	♦
345.00	5.30	13.583	0.209	♦			♦				♦	♦
350.00	5.30	13.780	0.209				♦				♦	♦
355.00	5.30	13.976	0.209		♦		♦				♦	♦
360.00	5.30	14.173	0.209				♦				♦	♦
365.00	5.30	14.370	0.209		♦		♦				♦	♦
370.00	5.30	14.567	0.209				♦				♦	♦
375.00	5.30	14.764	0.209	♦			♦				♦	♦
379.00	5.30	14.921	0.209				♦				♦	♦
383.00	5.30	15.079	0.209				♦				♦	♦
387.00	5.30	15.236	0.209	♦			♦				♦	♦
391.00	5.30	15.394	0.209				♦				♦	♦
395.00	5.30	15.551	0.209				♦				♦	♦
400.00	5.30	15.748	0.209	♦			♦				♦	♦
10.46	5.33	0.412	0.210	♦					♦			
12.07	5.33	0.475	0.210	♦					♦			
13.64	5.33	0.537	0.210	♦					♦			
15.24	5.33	0.600	0.210	♦					♦			
16.81	5.33	0.662	0.210	♦					♦			
18.42	5.33	0.725	0.210	♦					♦			
19.99	5.33	0.787	0.210	♦					♦			
21.59	5.33	0.850	0.210	♦							♦	
23.16	5.33	0.912	0.210	♦							♦	
24.77	5.33	0.975	0.210	♦							♦	
26.34	5.33	1.037	0.210	♦							♦	
27.94	5.33	1.100	0.210	♦							♦	
29.51	5.33	1.162	0.210	♦							♦	
31.12	5.33	1.225	0.210	♦							♦	
32.69	5.33	1.287	0.210	♦							♦	
34.29	5.33	1.350	0.210	♦							♦	
37.47	5.33	1.475	0.210	♦							♦	
40.64	5.33	1.600	0.210	♦							♦	
43.82	5.33	1.725	0.210	♦							♦	
46.99	5.33	1.850	0.210	♦							♦	
50.17	5.33	1.975	0.210	♦							♦	
53.34	5.33	2.100	0.210	♦							♦	
56.52	5.33	2.225	0.210	♦							♦	
59.69	5.33	2.350	0.210	♦							♦	
62.87	5.33	2.475	0.210	♦							♦	
66.04	5.33	2.600	0.210	♦							♦	
69.22	5.33	2.725	0.210	♦							♦	
72.39	5.33	2.850	0.210	♦							♦	
75.57	5.33	2.975	0.210	♦							♦	
78.74	5.33	3.100	0.210	♦							♦	
79.78	5.33	3.141	0.210	♦							♦	
81.92	5.33	3.225	0.210	♦							♦	
85.09	5.33	3.350	0.210	♦							♦	
88.27	5.33	3.475	0.210	♦							♦	
89.69	5.33	3.531	0.210	♦							♦	
91.44	5.33	3.600	0.210	♦							♦	
94.62	5.33	3.725	0.210	♦							♦	
97.79	5.33	3.850	0.210	♦							♦	
100.00	5.33	3.937	0.210	♦							♦	
100.97	5.33	3.975	0.210	♦							♦	
104.14	5.33	4.100	0.210	♦							♦	
107.32	5.33	4.225	0.210	♦							♦	
109.52	5.33	4.312	0.210	♦							♦	
110.49	5.33	4.350	0.210	♦							♦	
113.67	5.33	4.475	0.210	♦							♦	
116.84	5.33	4.600	0.210	♦							♦	
117.48	5.33	4.625	0.210	♦							♦	
120.02	5.33	4.725	0.210	♦							♦	
120.65	5.33	4.750	0.210	♦							♦	
123.19	5.33	4.850	0.210	♦							♦	
123.83	5.33	4.875	0.210	♦							♦	
126.37	5.33	4.975	0.210	♦							♦	
127.00	5.33	5.000	0.210	♦							♦	
129.54	5.33	5.100	0.210	♦							♦	
130.18	5.33	5.125	0.210	♦							♦	
132.72	5.33	5.225	0.210	♦							♦	

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
133.35	5.33	5.250	0.210						♦			
135.89	5.33	5.350	0.210	♦					♦			
136.53	5.33	5.375	0.210						♦			
139.07	5.33	5.475	0.210	♦					♦			
139.70	5.33	5.500	0.210						♦			
142.24	5.33	5.600	0.210	♦					♦			
142.88	5.33	5.625	0.210						♦			
145.42	5.33	5.725	0.210	♦					♦			
146.05	5.33	5.750	0.210						♦			
148.59	5.33	5.850	0.210	♦					♦			
149.23	5.33	5.875	0.210						♦			
151.77	5.33	5.975	0.210	♦					♦			
154.94	5.33	6.100	0.210						♦			
158.12	5.33	6.225	0.210	♦					♦			
161.29	5.33	6.350	0.210						♦			
164.47	5.33	6.475	0.210	♦					♦			
167.64	5.33	6.600	0.210						♦			
170.82	5.33	6.725	0.210	♦					♦			
173.99	5.33	6.850	0.210						♦			
177.17	5.33	6.975	0.210	♦					♦			
183.52	5.33	7.225	0.210	♦					♦			
189.87	5.33	7.475	0.210	♦					♦			
196.22	5.33	7.725	0.210	♦					♦			
202.57	5.33	7.975	0.210	♦					♦			
208.92	5.33	8.225	0.210	♦					♦			
215.27	5.33	8.475	0.210	♦					♦			
221.62	5.33	8.725	0.210	♦					♦			
227.97	5.33	8.975	0.210	♦					♦			
234.32	5.33	9.225	0.210	♦					♦			
240.67	5.33	9.475	0.210	♦					♦			
247.02	5.33	9.725	0.210	♦					♦			
253.37	5.33	9.975	0.210	♦					♦			
266.07	5.33	10.475	0.210	♦					♦			
278.77	5.33	10.975	0.210	♦					♦			
291.47	5.33	11.475	0.210	♦					♦			
304.17	5.33	11.975	0.210	♦					♦			
329.57	5.33	12.975	0.210	♦					♦			
354.97	5.33	13.975	0.210	♦					♦			
380.37	5.33	14.975	0.210	♦					♦			
405.26	5.33	15.955	0.210	♦					♦			
430.66	5.33	16.955	0.210	♦					♦			
456.06	5.33	17.955	0.210	♦					♦			
481.45	5.33	18.955	0.210	♦								
481.46	5.33	18.955	0.210						♦			
506.85	5.33	19.955	0.210	♦								
506.86	5.33	19.955	0.210						♦			
532.25	5.33	20.955	0.210	♦								
532.26	5.33	20.955	0.210						♦			
557.65	5.33	21.955	0.210	♦								

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
557.66	5.33	21.955	0.210							♦		
582.68	5.33	22.940	0.210	♦						♦		
608.08	5.33	23.940	0.210	♦						♦		
633.48	5.33	24.940	0.210	♦						♦		
658.88	5.33	25.940	0.210	♦						♦		
44.30	5.70	1.744	0.224					♦				
45.30	5.70	1.783	0.224					♦				
47.60	5.70	1.874	0.224							♦		
49.30	5.70	1.941	0.224					♦				
49.60	5.70	1.953	0.224							♦		
51.60	5.70	2.031	0.224							♦		
52.30	5.70	2.059	0.224					♦				
52.60	5.70	2.071	0.224							♦		
54.30	5.70	2.138	0.224					♦				
54.60	5.70	2.150	0.224							♦		
55.30	5.70	2.177	0.224					♦				
55.60	5.70	2.189	0.224							♦		
57.60	5.70	2.268	0.224							♦		
59.30	5.70	2.335	0.224					♦				
59.60	5.70	2.346	0.224							♦		
61.60	5.70	2.661	0.224							♦		
62.30	5.70	2.453	0.224					♦				
62.60	5.70	2.465	0.224							♦		
64.30	5.70	2.531	0.224					♦				
64.60	5.70	2.543	0.224							♦		
66.60	5.70	2.622	0.224							♦		
69.30	5.70	2.728	0.224					♦				
69.60	5.70	2.740	0.224							♦		
70.60	5.70	2.780	0.224							♦		
74.30	5.70	2.925	0.224					♦				
74.60	5.70	2.937	0.224							♦		
79.30	5.70	3.122	0.224					♦				
79.60	5.70	3.134	0.224							♦		
84.30	5.70	3.319	0.224					♦				
84.60	5.70	3.331	0.224							♦		
89.30	5.70	3.516	0.224					♦				
89.60	5.70	3.528	0.224							♦		
94.30	5.70	3.713	0.224					♦				
94.60	5.70	3.724	0.224							♦		
99.30	5.70	3.909	0.224					♦				
99.60	5.70	3.921	0.224							♦		
101.60	5.70	4.000	0.224							♦		
104.30	5.70	4.106	0.224					♦				
104.60	5.70	4.118	0.224							♦		
109.30	5.70	4.303	0.224					♦				
109.60	5.70	4.315	0.224							♦		
111.60	5.70	4.394	0.224							♦		
114.30	5.70	4.500	0.224					♦				
114.60	5.70	4.512	0.224							♦		

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
119.30	5.70	4.697	0.224					♦				
119.60	5.70	4.709	0.224							♦		
124.30	5.70	4.894	0.224					♦				
124.60	5.70	4.906	0.224							♦		
129.30	5.70	5.091	0.224					♦				
129.60	5.70	5.102	0.224							♦		
131.60	5.70	5.181	0.224							♦		
134.30	5.70	5.287	0.224					♦				
134.60	5.70	5.299	0.224							♦		
139.30	5.70	5.484	0.224					♦				
139.60	5.70	5.496	0.224							♦		
144.30	5.70	5.681	0.224					♦				
144.60	5.70	5.693	0.224							♦		
149.30	5.70	5.878	0.224					♦		♦		
149.60	5.70	5.890	0.224							♦		
154.30	5.70	6.075	0.224					♦		♦		
159.30	5.70	6.272	0.224					♦		♦		
164.30	5.70	6.469	0.224					♦		♦		
169.30	5.70	6.665	0.224					♦		♦		
174.30	5.70	6.862	0.224					♦		♦		
179.30	5.70	7.059	0.224					♦		♦		
184.30	5.70	7.256	0.224					♦		♦		
189.30	5.70	7.453	0.224					♦		♦		
194.30	5.70	7.650	0.224					♦		♦		
199.30	5.70	7.846	0.224					♦		♦		
209.30	5.70	8.240	0.224					♦		♦		
219.30	5.70	8.634	0.224					♦		♦		
229.30	5.70	9.028	0.224					♦		♦		
239.30	5.70	9.421	0.224					♦		♦		
249.30	5.70	9.815	0.224					♦		♦		
259.30	5.70	10.209	0.224					♦		♦		
269.30	5.70	10.602	0.224					♦		♦		
279.30	5.70	10.996	0.224					♦		♦		
289.30	5.70	11.390	0.224					♦		♦		
299.30	5.70	11.783	0.224					♦		♦		
309.30	5.70	12.177	0.224					♦				
319.30	5.70	12.571	0.224					♦				
339.30	5.70	13.358	0.224					♦				
359.30	5.70	14.146	0.224					♦				
379.30	5.70	14.933	0.224					♦				
389.30	5.70	15.327	0.224					♦				
399.30	5.70	15.720	0.224					♦				
419.30	5.70	16.508	0.224					♦				
439.30	5.70	17.295	0.224					♦				
459.30	5.70	18.083	0.224					♦				
479.30	5.70	18.870	0.224					♦				
489.30	5.70	19.264	0.224					♦				
499.30	5.70	19.657	0.224					♦				
222.50	6.00	8.760	0.236							♦		
272.00	6.00	10.709	0.236								♦	
321.50	6.00	12.657	0.236								♦	
376.00	6.00	14.803	0.236								♦	
425.50	6.00	16.752	0.236								♦	
113.67	6.99	4.475	0.275	♦						♦		
114.71	6.99	4.516	0.275							♦		
116.84	6.99	4.600	0.275	♦						♦		
120.02	6.99	4.725	0.275	♦						♦		
123.19	6.99	4.850	0.275	♦						♦		
124.61	6.99	4.906	0.275							♦		
126.37	6.99	4.975	0.275	♦						♦		
129.54	6.99	5.100	0.275	♦						♦		
132.72	6.99	5.225	0.275	♦						♦		
134.54	6.99	5.297	0.275							♦		
135.89	6.99	5.350	0.275	♦						♦		
139.07	6.99	5.475	0.275	♦						♦		
142.24	6.99	5.600	0.275	♦						♦		
145.42	6.99	5.725	0.275	♦						♦		
148.59	6.99	5.850	0.275	♦						♦		
151.77	6.99	5.975	0.275	♦						♦		
155.58	6.99	6.125	0.275							♦		
158.12	6.99	6.225	0.275	♦						♦		
159.54	6.99	6.281	0.275							♦		
161.93	6.99	6.375	0.275							♦		
164.47	6.99	6.475	0.275	♦						♦		
166.70	6.99	6.563	0.275							♦		
168.28	6.99	6.625	0.275							♦		
170.82	6.99	6.725	0.275	♦						♦		
174.63	6.99	6.875	0.275							♦		
177.17	6.99	6.975	0.275	♦						♦		
180.98	6.99	7.125	0.275							♦		
183.52	6.99	7.225	0.275	♦						♦		
187.33	6.99	7.375	0.275							♦		
189.87	6.99	7.475	0.275	♦						♦		
193.68	6.99	7.625	0.275							♦		
196.22	6.99	7.725	0.275	♦						♦		
200.03	6.99	7.875	0.275							♦		
202.57	6.99	7.975	0.275	♦						♦		
208.92	6.99	8.225	0.275							♦		
215.27	6.99	8.475	0.275	♦						♦		
221.62	6.99	8.725	0.275							♦		
227.97	6.99	8.975	0.275	♦						♦		
234.32	6.99	9.225	0.275							♦		
240.67	6.99	9.475	0.275	♦						♦		
247.02	6.99	9.725	0.275							♦		
253.37	6.99	9.975	0.275	♦						♦		
259.72	6.99	10.225	0.275							♦		
266.07	6.99	10.475	0.275	♦						♦		
272.42	6.99	10.725	0.275							♦		

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
278.77	6.99	10.975	0.275	♦					♦			
285.12	6.99	11.225	0.275						♦			
291.47	6.99	11.475	0.275	♦					♦			
297.82	6.99	11.725	0.275						♦			
304.17	6.99	11.975	0.275	♦					♦			
310.52	6.99	12.225	0.275						♦			
316.87	6.99	12.475	0.275	♦					♦			
323.22	6.99	12.725	0.275						♦			
329.57	6.99	12.975	0.275	♦					♦			
335.92	6.99	13.225	0.275						♦			
342.27	6.99	13.475	0.275	♦					♦			
354.97	6.99	13.975	0.275	♦					♦			
367.67	6.99	14.475	0.275	♦					♦			
380.37	6.99	14.975	0.275	♦					♦			
393.07	6.99	15.475	0.275	♦					♦			
405.26	6.99	15.955	0.275	♦					♦			
417.96	6.99	16.455	0.275	♦					♦			
430.66	6.99	16.955	0.275	♦					♦			
443.36	6.99	17.455	0.275	♦					♦			
456.06	6.99	17.955	0.275	♦					♦			
468.76	6.99	18.455	0.275	♦					♦			
481.46	6.99	18.955	0.275	♦					♦			
494.16	6.99	19.455	0.275	♦					♦			
506.86	6.99	19.955	0.275	♦					♦			
532.26	6.99	20.955	0.275	♦					♦			
557.66	6.99	21.955	0.275	♦					♦			
582.68	6.99	22.940	0.275	♦					♦			
608.08	6.99	23.940	0.275	♦					♦			
633.48	6.99	24.940	0.275	♦					♦			
658.88	6.99	25.940	0.275	♦					♦			
109.00	7.00	4.291	0.276		♦	♦	♦				♦	♦
112.00	7.00	4.409	0.276		♦	♦	♦				♦	♦
115.00	7.00	4.528	0.276		♦	♦	♦				♦	♦
118.00	7.00	4.646	0.276		♦	♦	♦				♦	♦
122.00	7.00	4.803	0.276		♦	♦	♦				♦	♦
125.00	7.00	4.921	0.276		♦	♦	♦				♦	♦
128.00	7.00	5.039	0.276		♦	♦	♦				♦	♦
132.00	7.00	5.197	0.276		♦	♦	♦				♦	♦
136.00	7.00	5.354	0.276		♦	♦	♦				♦	♦
140.00	7.00	5.512	0.276		♦	♦	♦				♦	♦
142.50	7.00	5.610	0.276									
145.00	7.00	5.709	0.276		♦	♦	♦				♦	♦
147.50	7.00	5.807	0.276				♦					
150.00	7.00	5.906	0.276		♦	♦	♦				♦	♦
152.50	7.00	6.004	0.276				♦					
155.00	7.00	6.102	0.276		♦	♦	♦				♦	♦
157.50	7.00	6.201	0.276									
160.00	7.00	6.299	0.276		♦	♦	♦				♦	♦
162.50	7.00	6.398	0.276				♦					

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
165.00	7.00	6.496	0.276		♦	♦	♦				♦	♦
167.50	7.00	6.594	0.276				♦					
170.00	7.00	6.693	0.276		♦	♦	♦				♦	♦
172.50	7.00	6.791	0.276				♦					
175.00	7.00	6.890	0.276		♦	♦	♦				♦	♦
177.50	7.00	6.988	0.276				♦					
180.00	7.00	7.087	0.276		♦	♦	♦				♦	♦
185.00	7.00	7.283	0.276		♦	♦	♦				♦	♦
190.00	7.00	7.480	0.276		♦	♦	♦				♦	♦
195.00	7.00	7.677	0.276		♦	♦	♦				♦	♦
200.00	7.00	7.874	0.276		♦	♦	♦				♦	♦
203.00	7.00	7.992	0.276				♦				♦	♦
206.00	7.00	8.110	0.276		♦	♦	♦				♦	♦
212.00	7.00	8.346	0.276		♦	♦	♦				♦	♦
218.00	7.00	8.583	0.276		♦	♦	♦				♦	♦
224.00	7.00	8.819	0.276		♦	♦	♦				♦	♦
227.00	7.00	8.937	0.276								♦	♦
230.00	7.00	9.055	0.276		♦	♦	♦				♦	♦
236.00	7.00	9.291	0.276		♦	♦	♦				♦	♦
239.00	7.00	9.409	0.276								♦	♦
243.00	7.00	9.567	0.276		♦	♦	♦				♦	♦
250.00	7.00	9.843	0.276		♦	♦	♦				♦	♦
254.00	7.00	10.000	0.276								♦	♦
258.00	7.00	10.157	0.276		♦	♦	♦				♦	♦
261.00	7.00	10.276	0.276								♦	♦
265.00	7.00	10.433	0.276		♦	♦	♦				♦	♦
268.00	7.00	10.551	0.276				♦				♦	♦
272.00	7.00	10.709	0.276		♦	♦	♦				♦	♦
276.00	7.00	10.866	0.276								♦	♦
280.00	7.00	11.024	0.276		♦	♦	♦				♦	♦
283.00	7.00	11.142	0.276								♦	♦
286.00	7.00	11.260	0.276								♦	♦
290.00	7.00	11.417	0.276		♦	♦	♦				♦	♦
295.00	7.00	11.614	0.276								♦	♦
300.00	7.00	11.811	0.276		♦	♦	♦				♦	♦
303.00	7.00	11.929	0.276				♦				♦	♦
307.00	7.00	12.087	0.276		♦	♦	♦				♦	♦
311.00	7.00	12.244	0.276								♦	♦
315.00	7.00	12.402	0.276		♦	♦	♦				♦	♦
320.00	7.00	12.598	0.276								♦	♦
325.00	7.00	12.795	0.276		♦	♦	♦				♦	♦
330.00	7.00	12.992	0.276								♦	♦
335.00	7.00	13.189	0.276		♦	♦	♦				♦	♦
340.00	7.00	13.386	0.276								♦	♦
345.00	7.00	13.583	0.276		♦	♦	♦				♦	♦
350.00	7.00	13.780	0.276								♦	♦
355.00	7.00	13.976	0.276		♦	♦	♦				♦	♦
360.00	7.00	14.173	0.276								♦	♦
365.00	7.00	14.370	0.276		♦	♦	♦				♦	♦

a brand of

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS568	ISO 3601 G	ISO 3601 A	DIN 377-1	BS 4518	BS 1806	JIS B 2401	NF T47-501 G	NF T47-501 A
370.00	7.00	14.567	0.276				♦				♦	♦
375.00	7.00	14.764	0.276	♦	♦		♦				♦	♦
379.00	7.00	14.921	0.276				♦				♦	♦
383.00	7.00	15.079	0.276				♦				♦	♦
387.00	7.00	15.236	0.276	♦	♦		♦				♦	♦
391.00	7.00	15.394	0.276				♦				♦	♦
395.00	7.00	15.551	0.276				♦				♦	♦
400.00	7.00	15.748	0.276	♦			♦				♦	♦
406.00	7.00	15.984	0.276				♦				♦	
412.00	7.00	16.220	0.276	♦			♦				♦	
418.00	7.00	16.457	0.276				♦				♦	
425.00	7.00	16.732	0.276	♦			♦				♦	
429.00	7.00	16.890	0.276				♦				♦	
433.00	7.00	17.047	0.276				♦				♦	
437.00	7.00	17.205	0.276	♦			♦				♦	
443.00	7.00	17.441	0.276				♦				♦	
450.00	7.00	17.717	0.276	♦			♦				♦	
456.00	7.00	17.953	0.276				♦				♦	
462.00	7.00	18.189	0.276	♦			♦				♦	
466.00	7.00	18.346	0.276				♦				♦	
470.00	7.00	18.504	0.276				♦				♦	
475.00	7.00	18.701	0.276	♦			♦				♦	
479.00	7.00	18.858	0.276				♦				♦	
483.00	7.00	19.016	0.276				♦				♦	
487.00	7.00	19.173	0.276	♦			♦				♦	
493.00	7.00	19.409	0.276				♦				♦	
500.00	7.00	19.685	0.276	♦			♦				♦	
508.00	7.00	20.000	0.276				♦				♦	
515.00	7.00	20.276	0.276	♦			♦				♦	
523.00	7.00	20.591	0.276				♦				♦	
530.00	7.00	20.866	0.276	♦			♦				♦	
538.00	7.00	21.181	0.276				♦				♦	
545.00	7.00	21.457	0.2767	♦			♦				♦	
553.00	7.00	21.772	0.276				♦				♦	
560.00	7.00	22.047	0.276	♦			♦				♦	
570.00	7.00	22.441	0.276				♦				♦	
580.00	7.00	22.835	0.276	♦			♦				♦	
590.00	7.00	23.228	0.276				♦				♦	
600.00	7.00	23.622	0.276	♦			♦				♦	
608.00	7.00	23.937	0.276				♦				♦	
615.00	7.00	24.213	0.276	♦			♦				♦	
623.00	7.00	24.528	0.276				♦				♦	
630.00	7.00	24.803	0.276	♦			♦				♦	
640.00	7.00	25.197	0.276				♦				♦	
650.00	7.00	25.591	0.276	♦			♦				♦	
660.00	7.00	25.984	0.276				♦				♦	
670.00	7.00	26.378	0.276	♦			♦				♦	
144.10	8.40	5.673	0.331					♦				
149.10	8.40	5.870	0.331					♦				
149.50	8.40	5.886	0.331								♦	
154.10	8.40	6.067	0.331								♦	
154.50	8.40	6.083	0.331								♦	
159.10	8.40	6.264	0.331								♦	
159.50	8.40	6.280	0.331								♦	
164.10	8.40	6.461	0.331								♦	
164.50	8.40	6.476	0.331								♦	
169.10	8.40	6.657	0.331								♦	
169.50	8.40	6.673	0.331								♦	
174.10	8.40	6.854	0.331								♦	
174.50	8.40	6.870	0.331								♦	
179.10	8.40	7.051	0.331								♦	
179.50	8.40	7.067	0.331								♦	
184.10	8.40	7.248	0.331								♦	
184.50	8.40	7.264	0.331								♦	
189.10	8.40	7.445	0.331								♦	
189.50	8.40	7.461	0.331								♦	
194.10	8.40	7.642	0.331								♦	
194.50	8.40	7.657	0.331								♦	
199.10	8.40	7.839	0.331								♦	
199.50	8.40	7.854	0.331								♦	
204.10	8.40	8.035	0.331								♦	
204.50	8.40	8.051	0.331								♦	
208.50	8.40	8.209	0.331								♦	
209.10	8.40	8.232	0.331								♦	
209.50	8.40	8.248	0.331								♦	
214.50	8.40	8.445	0.331								♦	
219.10	8.40	8.626	0.331								♦	
219.50	8.40	8.642	0.331								♦	
224.50	8.40	8.839	0.331								♦	
229.10	8.40	9.020	0.331								♦	
229.50	8.40	9.035	0.331								♦	
234.10	8.40	9.217	0.331								♦	
234.50	8.40	9.232	0.331								♦	
239.10	8.40	9.413	0.331								♦	
239.50	8.40	9.429	0.331								♦	
244.50	8.40	9.626	0.331								♦	
249.10	8.40	9.807	0.331								♦	
249.50	8.40	9.823	0.331								♦	
254.50	8.40	10.020	0.331								♦	
259.50	8.40	10.217	0.331								♦	
264.50	8.40	10.413	0.331								♦	
269.50	8.40	10.610	0.331								♦	
274.50	8.40	10.807	0.331								♦	
279.50	8.40	11.004	0.331								♦	
284.50	8.40	11.201	0.331								♦	
289.50	8.40	11.398	0.331								♦	
294.50	8.40	11.594	0.331								♦	
299.50	8.40	11.791	0.331								♦	

STANDARD SIZE MASTER LIST

Availability of sizes in each standard is indicated by a ♦ in the appropriate column.

ID (mm)	CS (mm)	ID (inch)	CS (inch)	AS 568	ISO 3601-1 G	ISO 3601-1 A	DIN 3771-1	BS 4518	BS 1806	JIS 2401	NF T47-501 G	NF T47-501 A
314.50	8.40	12.382	0.331							♦		
319.50	8.40	12.579	0.331							♦		
334.50	8.40	13.169	0.331							♦		
339.50	8.40	13.366	0.331							♦		
354.50	8.40	13.957	0.331							♦		
359.50	8.40	14.154	0.331							♦		
374.50	8.40	14.744	0.331							♦		
384.50	8.40	15.138	0.331							♦		
399.50	8.40	15.728	0.331							♦		
475.00	10.00	18.701	0.394							♦		
524.50	10.00	20.650	0.394							♦		
579.00	10.00	22.795	0.394							♦		
633.50	10.00	24.941	0.394							♦		
683.00	10.00	26.890	0.394							♦		
732.50	10.00	28.839	0.394							♦		
782.00	10.00	30.787	0.394							♦		
836.50	10.00	32.933	0.394							♦		
940.50	10.00	37.028	0.394							♦		
1044.00	10.00	41.102	0.394							♦		

a brand of